

Food Quality vs. Food Safety

Food Quality - Negotiable

Internal (i.e., Brix, acids, juice content, etc.)

External (blemishes, diseases & disorders)

If not perfect, can often still sell but at a lower price


Food Safety - Not negotiable. All or nothing!


Everyone is entitled to a product that is safe to consume



Hazards
Biological
Chemical
Physical
Now also includes undeclared allergins









Many Food Safety Requirements • Buyer Imposed Standards – Food safety/hygiene standards imposed by various domestic and international buyers. Examples include: GLOBALG.A.P. Safe Quality Food - British Retail Consortium - Primus Global Food Safety Initiative (GFS) - USDA Harmonized Food Safety Standard for Field & Harvesting • Federal Regulations - Food Safety Modernization Act (FSMA) - Produce Safety Rule (PSA) Preventive Controls Rule (FSPCA)

FSMA Foundational Rules Preventive Controls (Human Food)* Sept. 17, 2015 Preventive Controls (Animal Food)* Oct. 29, 2013 Sept. 17, 2015 Produce Safety* Jan. 16, 2013 Nov. 27, 2015 Foreign Supplier Verification Program* July 29, 2013 Nov. 27, 2015 Third Party Accreditation July 29, 2013 Nov. 27, 2015 Sanitation Transport Feb. 5, 2014 April 6, 2016 Intentional Adulteration Dec. 24, 2013 May 27, 2016 Traceability (pending) Sept. 2020 *Supplemental proposals published September 2014

Produce Safety Rule Training Requirements At least one person at each company must compete training recognized as adequate by the Food and Drug Administration • All: - Principle of Food Hygiene & Food Safety - The importance of health and personal hygiene - Training specific for their particular job responsibility Harvesters: - Recognize what produce must NOT be harvested - Inspecting harvest containers & equipment Correcting problems


9 10





11

12



Equipment, Tools, And Buildings

* Likely to contact covered produce:

--Knives, implements, containers, bins, packing material, dump tanks, flumes and other equipment used for transport, harvesting, waxing, cooling, packing, etc.

13 14




Produce from many fields pass through packinghouses!

-Any errors preharvest, can contaminate clean fruit at the packinghouse

-Errors at the packinghouse are amplified

16

15



Packinghouses Operations

• Handle produce carefully to prevent wounds

• Remove injured product from the facilities

• Discard fruit that fall on the floor

• Remove cull fruit and debris promptly

Packinghouse Operations

- Keep dirty produce from the field separated from the clean, packed produce
- -When possible, remove dirt in the field
- Wash dirty produce outside the packinghouse



Packinghouses Operations

- Keep dirty fruit from the field separated from the clean, packed fruit
- Start off with high-quality water (no detectable E. coli) & use an approved sanitizer

20

22



19

Packinghouses Operations

- Clean and sanitize packing areas, storage rooms, fruit bins, and equipment. Prime sites for pathogen growth are:
- -Areas that remain wet (brush/sponge rolls; floors)
- -Plant debris left on the line or packinghouse



Sanitation in the Packinghouse

- Sanitize facilities & equipment regularly
- -More frequently (i.e., daily): Change dump tank water; packing line equipment (particularly areas that remain wet); floors; drains; breakrooms/bathrooms
- Less frequently (i.e., monthly): Ripening, degreening, cold room - floors, walls, ceilings, refrigeration coils, doors, and curtains

FEORISM

21

Packinghouse Pest Control

- Maintain an effective animal & pest control program
 - -Maintain good records
- No animals in packinghouse (domestic or otherwise)
- Remove dead or trapped animals (e.g., rats, birds, etc.) promptly
- Prepare cartons only as needed






Temperature Management

- Low temperatures supplement good sanitation practices
 - -Most human pathogens grow slowly or not at all below $45^{\circ}F$ ($7^{\circ}C$)
 - Listeria monocytogenes is a special concern in refrigerated environments
 - -Low temperatures extend pathogen survival, but reduce proliferation







25 26

